



EL - Deluxe
EL - Deluxe



Expect more from Elcolds' EL - range

Expect more from Elcolds' EL -



The EL comes with a handle lock



The lid light illuminates both the calendar and the contents of the freezer



The pull-out drain and removable partition make defrosting easy



range



frost
ovable

v



The control display gives a quick general view of the freezer's status



The EL can be delivered with stainless steel lid if requested



Technical data

		EL 22	EL 35	EL 45	EL 53	EL 61	EL 71
Gross volume	litres	215	347	447	527	607	701
Net volume	litres	205	331	427	504	580	670
Gross volume	cu.ft.	7,6	12,3	15,8	18,6	21,5	24,8
Net volume	cu.ft.	7,4	11,7	15,0	17,8	20,5	23,7
Height in mm		860	860	860	860	860	860
Width in mm		720	1050	1300	1500	1700	1800
Depth incl. handle and hinges in mm		730	730	730	730	730	770
Depth excl. handle and hinges in mm		650	650	650	650	650	690
Height with open lid in mm		1560	1560	1560	1560	1560	1600
Insulation thickness in mm		60	60	60	60	60	60
Energy classification		C	C	C	C	C	F
Freezer		****	****	****	****	****	****
Energy consump. at 18°C	kWh/24 h	0,71	0,90	1,05	1,30	1,52	1,95
Pr. 100 ltr. at 18°C	kWh/24 h	0,35	0,27	0,25	0,37	0,26	0,29
Energy consump. at 25°C	kWh/24 h	1,01	1,28	1,52	1,80	2,05	2,78
Pr. 100 ltr. at 25°C	kWh/24 h	0,53	0,39	0,34	0,38	0,37	0,41
Freezing capacity	kg/24 h	15	22	27	36	38	43
Temp. rise to -9°C	hours	33	35	39	41	44	45
Handle with lock		+	+	+	+	+	+
Calendar in lid		+	+	+	+	+	+
Light in lid		+	+	+	+	+	+
Number of baskets		1	2	2	3	3	3
Removable divider		+	+	+	+	+	+
Lamps in panel		3	3	3	3	3	3
Defrost drain		+	+	+	+	+	+

Subject to alterations. The technical specifications should be taken as a guidance.

