

Flexible display solutions for fresher food



The ultimate display chiller and the right solution for you



Foster specialise in building class-leading efficient professional refrigeration equipment you can rely on: ensuring your food is kept fresher, for longer.

Now, with a new range of Display Chillers, Foster brings its quality, experience and reliability, from its professional kitchens to your front of house service: offering stylish economical-to-run chiller solutions adaptable to suit all your display needs.

This complete range of eight new models, all manufactured in the UK, has been designed with customer service in mind. Available as either open fronted 'grab and go' units, or as a closed fronted display for assisted service, Foster Display Chillers fit perfectly across the retail catering market. From coffee shops and patisseries, to cafes, self-service buffets and supermarkets, the comprehensive range of models offer an option to suit every budget and business need: all available for immediate delivery.

Displaying chilled food in a retail environment is all about achieving the right aesthetics with the right levels of convenience and practicality. You want the right quantities, well displayed, looking good and tasting fresh. The new range from Foster does all that and more, increasing your sales potential and enhancing your reputation as a high-quality food retailer.

Foster products are designed to the most exacting standards, meaning you can buy with total confidence knowing that your purchase is high-quality and robust, with the energy-efficiency you demand from a technologically advanced refrigeration product.





Closed front assisted

service display chillers

Unrivalled display

Ease of service



High performance Maximise impulse sales

Open front 'Grab and Go' self service display chillers






Image (above): FDC1200C Closed front assisted service display chillers

In its closed front format, the Foster Display Chiller provides a stylish solution to the demands of assisted service: showing your customers the best possible view of your food, in an ergonomically designed easy access display. Fresh is always best, and with the closed front design, your pre-prepared cakes, pastries and delicatessen can stay at their best without compromising your service times.

With a full width toughened glass curved front, and sliding doors to the rear, the range is packed with the innovation you would expect from Foster. Bright LED canopy and undershelf lighting, and Anti Condensation Technology (ACT) feature across the full range, whilst with full width toughened glass shelving and end panels merchandise is clearly displayed from every angle.





Quick fact:

> ACT (Anti Condensation Technology) helps glass to remain clear, maximising






Image (above): FDC1200 Open front self service display chiller

If you want best in class for self-service display, Foster Display Chillers are for you, giving your customers every opportunity to buy on impulse without losing produce quality.

The open fronted range is perfect for the storage and display of pre-packaged products such as drinks, sandwiches, sushi and dairy produce. Foster's innovative air curtain protects your merchandise from

warmer air entering the display ensuring your food keeps both its taste and texture.

"Perfect for packaged goods such as drinks and sandwiches"





> Thick toughened glass for enhanced safety across both open and closed fronted models



Everything you would expect from a Foster...

Innovation

- > Foster uses a modelling technology known as > British manufactured built in our Computational Fluid Dynamics to calculate accurate airflow and temperature simulation - meaning the cold air gets to where it is
- > Advanced airflow technology creates a protective air curtain ensuring product is kept at the correct temperature
- > Innovative design means the controller can be positioned to the front or rear allowing on site flexibility

Quality and Reliability

- world-class UK manufacturing facility certified to ISO9001 quality and ISO14001 environmental standards
- Manufactured using superior 304 stainless steel - the 'gold standard' in performance finishes meaning quality is assured
- > Cutting-edge product development, design and manufacturing
- The best materials, the strongest designs, the finest ergonomics, the fullest specifications and total reliability

Unrivalled Performance

- > Genuine temperature retention means the Foster Chiller range always keeps products at the right temperature
- Our refrigeration system ensures that even your most delicate products maintain their freshness and appeal
- > Plug-in for instant and flexible use
- Intelligent controller with easy to read digital display ensures even temperature retention throughout – keeping your food

...and more.

Energy Efficiency

- > Energy saving LED lighting as standard
- Bright & clean really bringing your products to life
- On average lasts 10x longer than fluorescent lighting, whilst emitting a fraction of the heat output

Affordability

> Available on interest free credit allowing you to simply spread the cost of your new display chiller over a full year instead of a one off up front outlay

Hygiene and Safety

- > Fully removable shelves & supports for ease of cleaning
- > The high quality 304 stainless steel interior and exterior finish ensures a food safe superior surface for easy wipe-clean efficiency

Service and Maintenance

> Removable front cover and slide out condensing unit allows easy access for service, minimising down time

After Sales Support

> There when you need us: 2 year parts and labour warranty as standard† for complete peace of mind

Quality, Reliability & Value



Foster Display Chillers | No Compromise

Demand more. Choose Foster



Closed Fronted Serve Over Cabinets











		=	
_		=	
⊢	_		

resisted service bisplay erimers.				U
External Dimensions (w $x d x h$)	600 x 785 x 1435mm	900 x 785 x 1435mm	1200 x 785 x 1435mm	1500 x 785 x 1435mm
Model	FDC600C	FDC900C	FDC1200C	FDC1500C
Finish	High Grade 304 Stainless Steel			
No. of shelves (inc. base)	4	4	4	4
Thick 10mm glass shelves	Standard	Standard	Standard	Standard
Energy saving LED top canopy light	Standard	Standard	Standard	Standard
Energy saving LED undershelf lighting (each shelf)	Standard	Standard	Standard	Standard
Anti Condensation Technology (ACT)	Standard	Standard	Standard	Standard
Full width toughened glass end panels	Standard	Standard	Standard	Standard
Curved toughened glass front	Standard	Standard	Standard	Standard
Rear sliding doors	Standard	Standard	Standard	Standard
Base fittings	Castors	Castors	Castors	Castors
Controller to front	Option	Option	Option	Option
Controller to rear	Standard	Standard	Standard	Standard
Temperature rating**	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7*C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.
Defrost	Fully automatic	Fully automatic	Fully automatic	Fully automatic
Refrigerant	R404a	R404a	R404a	R404a
Power supply (230/50/1)	10amp	10amp	13amp	13amp

Open Fronted Self Service Cabinets











External Dimensions (w x d x h)	600 x 785* x 1435mm	900 x 785* x 1435mm	1200 x 785* x 1435mm	1500 x 785* x 1435mm
Model	FDC600	FDC900	FDC1200	FDC1500
Finish	High Grade 304 Stainless Steel			
No. of shelves (inc. base)	4	4	4	4
Thick 10mm glass shelves	Standard	Standard	Standard	Standard
Energy saving LED top canopy light	Standard	Standard	Standard	Standard
Energy saving LED undershelf lighting (each shelf)	Standard	Standard	Standard	Standard
Anti Condensation Technology (ACT)	Standard	Standard	Standard	Standard
Full width toughened glass end panels	Standard	Standard	Standard	Standard
Base fittings	Castors	Castors	Castors	Castors
Controller to front	Standard	Standard	Standard	Standard
Controller to rear	Option	Option	Option	Option
Temperature rating**	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.	M2 (Climate Class 3 EN441). Multiple temperature set points available between -1/+7°C.
Defrost	Fully automatic	Fully automatic	Fully automatic	Fully automatic
Refrigerant	R404a	R404a	R404a	R404a
Power supply (230/50/1)	10amp	10amp	13amp	13amp

*Add 80mm to depth for spacers if product is to be wall-sited (required for air circulation - detachable if not wall-sited)

***M Class is defined within a 25* ambinet temperature - Climate Class 3 EN441

Please note that performance can be influenced by external factors. Installation guidelines can be downloaded from our website: www.fosterrefrigerator.co.uk/displayinstall



Both the open and closed fronted models have been designed to fit perfectly alongside one another to form an uninterrupted line of merchandise display, ideal for any counter or serving arrangement.

Foster Display Chillers | Ideal Display





Grab yourself a Display Chiller today on 0% finance.†

It's easy! Simply purchase your equipment with 12 monthly payments – there are no extra charges. Spread the cost of your new Display Chiller over a full year instead of a one off up front outlay.

A Division of ITW Ltd

Foster Refrigerator, Oldmedow Road, King's Lynn Norfolk PE30 4JU United Kingdom

To discuss your options or to find out more:

Call: +44 (0)843 216 8800 Fax: +44 (0)843 216 4700 Email: sales@foster-uk.com Visit: fosterrefrigerator.co.uk

We reserve the right to change specifications without notice. Literature Code MSFDC(UK)NB01.14.











