



# Product Code: LR120 13-123

## Space Saver Freezer Undercounter Cabinet

---



### Features & Benefits

---

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 40°C
- GN1/1 Undercounter storage on a small footprint

## External Finish

<b>304 s/s</b>	Standard
<b>Worktop</b>	Standard

## Base Fittings

<b>Castors - Rear Fixed</b>	Standard
<b>Levelling Bolts</b>	Standard

## Electrical, Service & Ecodesign Data

<b>230/50/1</b>	Standard
<b>Fuse Required</b>	13
<b>Global Warming Potential</b>	3922
<b>Energy Efficiency Index</b>	76.75
<b>Refrigerant Charge</b>	0.210

## Internal Finish

<b>aluminium</b>	Standard
------------------	----------

## Doors

<b>Solid</b>	Standard
--------------	----------

## Specification

<b>Dimensions (Width)</b>	440
<b>Dimensions (Height)</b>	895
<b>Dimensions (Depth)</b>	745
<b>Weight (Unpacked, kg)</b>	69
<b>Weight (Packed, kg)</b>	77.02
<b>Gross Volume</b>	120
<b>Noise DbA @ 1M</b>	TBC

## Shelving

<b>GN1/1 Shelf</b>	Option
--------------------	--------

## Refrigeration

<b>R404a - Industry Standard</b>	Standard
<b>Integral Refrigeration System</b>	Standard

## Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for airflow, ensure that 25mm clearance is allowed above the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet



## Application

This appliance is intended for use in ambient temperatures up to 40°C

## Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care