



COMMERCIAL STICK BLENDERS



Hand mixer & blender combo TR/BM- 250 SPECIALLY DESIGNED TO BE USED IN UP TO 15 LT. BOWLS Variable speed motor unit with 250W loading. 290mm blender arm and whisk.		TECHNICAL SPECIFICATIONS Total loading: 250 W Maximum recipient capacity: 15 l Speed (in liquid): 1500 rpm - 9000 rpm Length ·Liquidising arm length: 290 mm ·Revolving arm length: 300 mm ·Total length (max): 560 mm ·Total length (with revolving arm): 560 mm ·Net weight: 1,9 Kg - 2,3 Kg Noise level (1m.): <80 dB(A) Background noise:		
			\cdot Suitable for food-processing in containers of up to 15-litre / 16-qt. capacity. \cdot Variable speed.	
			 Liquidiser arm: suitable for pureeing (vegetables, potatoes, soups, etc.) or preparing creams (onion, pepper, tomato, confectioner's, etc.) and all sorts of sauces. Beater arm for whipping cream or preparing meringue, chantilly, mayonnaise and Genoese sauce, omelettes, pancake batter, soufflés, etc. Easily detachable shafts with no need of tools. Manufactured from durable top quality materials. Ergonomic design and easy operation. Easy to clean. NSF-International certified appliance (complying with Hygiene, Cleaning and Food Material regulations). 	
DEFAULT EQUIPMENT OF Motor block. Whisk BB-250. Mixer arm BS.	PTIONAL EQUIPMENT		-	
AENOR Registrada ER-0437/1990 UNE-EN ISO 9001 SAMMIC, S.L. Basarte, 1 · 20720 AZKOITIA www.sammic.com	NSF.			